

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: HEADLAND SULPHUR

Product code: NP-0049

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: A micronutrient suspension concentrate, for use in agriculture.

1.3. Details of the supplier of the safety data sheet

Company name: Headland Agrochemicals

Rectors Lane

Pentre

Flintshire

CH5 2DH

United Kingdom

Tel: +44(0)1244 537370

Fax: +44(0)1244 532097

Email: flintshire.enquiry@fmc.com

1.4. Emergency telephone number

Emergency tel: +44(0)1244 537370

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R36/38

Classification under CLP: * Skin Irrit. 2: H315; Eye Irrit. 2: H319; -: EUH208

Most important adverse effects: Irritating to eyes and skin.

2.2. Label elements

Label elements:

Hazard statements: * H315: Causes skin irritation.

H319: Causes serious eye irritation.

EUH208: Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



SAFETY DATA SHEET

HEADLAND SULPHUR

Page: 2

Precautionary statements: P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+352: IF ON SKIN: Wash with plenty of water/.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+313: If skin irritation occurs: Get medical advice/attention.
P337+313: If eye irritation persists: Get medical advice/attention.

Label elements under CHIP:

Hazard symbols: Irritant.



Risk phrases: R36/38: Irritating to eyes and skin.

Safety phrases: S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S46: If swallowed, seek medical advice immediately and show this container or label.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SULFUR - REACH registered number(s): 01-2119487295-27-XXXX

EINECS	CAS	CHIP Classification	CLP Classification	Percent
231-722-6	7704-34-9	Xi: R38	Skin Irrit. 2: H315	30-60%

ETHANE-1,2-DIOL - REACH registered number(s): 01-2119456816-28-XXXX

203-473-3	107-21-1	Xn: R48/22	Acute Tox. 4: H302; STOT RE 2: H373	1-10%
-----------	----------	------------	-------------------------------------	-------

NAPHTHALENESULFONIC ACID, METHYL-, POLYMER WITH FORMALDEHYDE, SODIUM SALT

-	81065-51-2	Xi: R36	Eye Irrit. 2: H319	1-10%
---	------------	---------	--------------------	-------

Contains: Contains 1,2-Benzisothiazolin-3-one (CAS number 2634-33-5) at a level below the concentration limit for classification of the mixture as sensitising.

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor if irritation develops.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor if irritation persists or problems with vision occur.

Ingestion: * Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Seek medical attention if any symptoms develop.

[cont...]

SAFETY DATA SHEET

HEADLAND SULPHUR

Page: 3

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of sulphur oxides.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

[cont...]

SAFETY DATA SHEET

HEADLAND SULPHUR

Page: 4

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: * Protect from frost. Store above 5°C. Store in a cool, well ventilated area. Keep away from direct sunlight. Do not store near direct sources of heat. Keep out of the reach of children. Keep away from food, drink and animal feedstuffs.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHANE-1,2-DIOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	52 mg/m3 (vapour)	104 mg/m3 (vapour)	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves. PVC gloves. PVA gloves. Butyl gloves. Nitrile gloves. Rubber gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing. Coveralls must be discarded after use if contaminated.

Environmental: Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Barely perceptible odour

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Dispersible in water

Relative density: 1.41 - 1.45

pH: 7.0 - 9.0

[cont...]

SAFETY DATA SHEET
HEADLAND SULPHUR

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	>3000 (calculated)	mg/kg

Hazardous ingredients:

SULFUR

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

ETHANE-1,2-DIOL

IVN	RAT	LD50	3260	mg/kg
ORAL	MOUSE	LD50	5500	mg/kg
ORAL	RAT	LD50	4700	mg/kg

[cont...]

SAFETY DATA SHEET

HEADLAND SULPHUR

Page: 6

NAPHTHALENESULFONIC ACID, METHYL-, POLYMER WITH FORMALDEHYDE, SODIUM SALT

ORAL	RAT	LD50	4786	mg/kg
------	-----	------	------	-------

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not discharge to sewer systems.

Waste code number: 02 01 08

Disposal of packaging: Clean with water. Dispose of as normal industrial waste. Treat the cleaning water following the above method for waste product.

[cont...]

SAFETY DATA SHEET

HEADLAND SULPHUR

Page: 7

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: N/A

14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

14.3. Transport hazard class(es)

Transport class: N/A

14.4. Packing group

Packing group: N/A

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: The product is not transported in bulk tankers.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.
H302: Harmful if swallowed.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that

[cont...]

SAFETY DATA SHEET
HEADLAND SULPHUR

Page: 8

no other routes of exposure cause the hazard>.

R36/38: Irritating to eyes and skin.

R36: Irritating to eyes.

R38: Irritating to skin.

R48/22: Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.